Product	Page No.
Panel Information  5V-Crimp Panel Profile  Panel Overview	
Flashing Profiles	
Eave Cleat Box Gutter Box Gutter End Universal Gutter/Downspout Strap 4" x 31/2" Downspout 4" x 31/2" 90° Elbow Downspout Bracket Valley 5V-Crimp Rake 5V-Crimp Rakewall Counter Flashing Reglet Flashing 11" Ridge/Hip Cover Peak Pitch Break 5V-Crimp Z-Closure	P5V-3
Accessory Profiles  5V-Crimp Closures  Tube Sealant  Tape Sealant  Rubber Roof Jack  Touch-Up Paint	P5V-4 P5V-4 P5V-4
Testing Information  UL 580 Wind Uplift Information  Section Properties and General Information	
Panel Applications	P5V-7 P5V-7 P5V-8

Product	Page No.	
Detail Conditions		
Eave Detail	P5V-9	
Box Gutter Detail	P5V-9	
Valley Detail	P5V-10	
Endlap Detail	P5V-10	
Rake Detail	P5V-11	
Rakewall Detail	P5V-11	
Endwall Detail	P5V-12	
Peak Detail	P5V-12	
Hip Detail	P5V-13	
Ridge Detail	P5V-13	
Notes		
Notes	P5V-14	

# 5V-CRIMP PANEL OVERVIEW **PANEL PROFILE** 24" Coverage **SLOPE** The minimum recommended slope for any 5V-Crimp roofing panel is 3:12. **SUBSTRATE** The recommended substrate is 5/8" plywood with a 30 pound felt moisture barrier. To avoid panel distortion, use a properly aligned and uniform substructure. Please note that 5V-Crimp panels are not recommended for use over open framing. **COVERAGE** 5V-Crimp is available in 24" width with a 1/2" rib height. **LENGTH** Lengths under 5'-0" are available with some cutting restrictions. Maximum recommended panel length is 45'-0". Longer panels require additional consideration in packaging, shipping and erection. Please consult your Metal Sales branch for recommendations (see PGI-2 and PGI-3 for locations). **AVAILABILITY**

26 Gauge standard, 24 gauge optional

### **APPLICATION**

Architectural and Residential Panel

### **PERFORMANCE TEST**

UL 580, UL 790, UL 263, UL 2218, Miami-Dade County, FLorida approval and TDI Evaluation Report

### **FASTENING SYSTEM**

Direct Fastened (exposed)

### **FASTENERS**

The fastener selection guide should be consulted for choosing proper fasteners for specific applications. Quantity and type of fastener must meet necessary loading and code requirements (see PGI-12 through PGI-14).

### **MATERIALS**


26 and 24 gauge steel: Grade 50 per ASTM A 792 Optional material: 0.032" aluminum

### **FINISH**

- ► \*Acrylic Coated Galvalume® (ACG), AZ55 per ASTM A 792
- ► Prepainted Galvalume®, AZ50 per ASTM A 792
- ▶ MS Colorfast45<sup>®</sup>
- ► \*\*PVDF
  - \* Differential appearance of Acrylic Coated Galvalume® roofing materials is not a cause for rejection.
  - \*\* Meets both Kynar 500® and Hylar 5000® specifications.




### **EAVE**




Length 10'-2" - \*Specify Slope Angle

### **CLEAT**




Length 10'-2"

# **BOX GUTTER**




Lengths 10'-2" and 20'-3" \*Specify Slope Angle


### **BOX GUTTER END**



**UNIVERSAL GUTTER/ DOWNSPOUT STRAP** 




### 4" x 31/2" DOWNSPOUT




Lengths 10'-2" and 20'-3" (6" x 4" is also available)

### 4" x 31/2" 950 ELBOW




(6" x 4" is also available)

### **DOWNSPOUT BRACKET**




(6" is also available)

### VALLEY




Lengths 10'-2" and 20'-3" \*Specify Slope Angle

### **5V-CRIMP RAKE**




Lengths 10'-2" and 20'-3"

### **5V-CRIMP RAKEWALL**




Length 10'-2"

### **COUNTER FLASHING**




Length 10'-2"

### **REGLET FLASHING**




### **RIDGE/HIP COVER**




Lengths 10'-2" and 20'-3" \*Specify Slope Angle

### **PEAK**




Lengths 10'-2" and 20'-3" \*Specify Slope Angle

### PITCH BREAK



Length 10'-2" - \*Specify Slope Angle

### **5V-CRIMP Z-CLOSURE**




Length 10'-2"

C- Indicates color side of flashing.

### **5V-CRIMP**


### **A**CCESSORY PROFILES

### **5V-CRIMP CLOSURES**



1" x 2'-0" Polyethylene Foam

### **TUBE SEALANT**



10.3 oz. Cartridge Urethane

### **TAPE SEALANT**




3/8" Bead x 50' Butyl Single Bead Tape Sealant Butyl - Black

### **RUBBER ROOF JACK**




Mini (1/4" to 11/8" O.D. Pipe) #2 (13/4" to 3" O.D. Pipe) #4 (3" to 6" O.D. Pipe) #6 (6" to 9" O.D. Pipe) #8 (7" to 13" O.D. Pipe)

### **TOUCH-UP PAINT**



Available in 2 oz Bottles PVDF / MS Colorfast45®



### **5V-CRIMP**

Construction No. 453 March 13, 2001 Uplift - Class 90 Fire Not Investigated

- 1. Metal Roof Deck Panels\* No. 26 MSG minimum coated steel. Maximum panel width 24 in. Rib height maximum 1/2 in. Panels continuous over two or more spans. A bead of sealant may be used at panel sidelaps. METAL SALES MFG CORP - "5V Crimp"
- 2. Fasteners (Screws) For panel attachment to wood deck (Item 3), fasteners to be #9-15 x 1 in. Type A, Hex-head with separate 5/8 in. OD steel washer and a bonded neoprene washer. Fastener spacing is as follows: a line of fasteners is to be installed, beginning from the center of the double V at the sidlap in 2-9-2-9 in. pattern for a total of four fasteners across the width of the panel. This fastener spacing to be 3 feet on center along the length of the panel is 3 feet on center.

For attachment of plywood deck (Item 3) to joists (Item 5), fasteners to be minimum No. 6 x 1-7/8 in. bugle head screw or annular ring-shank nails. Spacing to be 6 in. OC at plywood edges and 12 in. OC at intermediate supports.


When light gauge structural steel joists are used, fasteners to be No. 12 x 1-5/8 in. long with a Phillips head.

- 3. Substructure (Plywood) Plywood decking to be a nom 5/8 in. thick, exposure sheathing span C-D, 40/20 plywood. All butt joints to be sealed against leakage by using tape and/or caulk or with one-part urethane sealant.
- 4. Moisture Barrier (Optional) Any suitable membrane to protect substructure (Item 3).
- 5. Joists Joists spaced at 2 ft, 0 in. OC; may be one of the following:
  - A. Nom 2 by 6 in. wood joists No. 2 or better.
  - B. Nom 2 by 4 in. wood when used on a top cord of a wood truss, No. 2 or better.
  - C. Light gauge structural steel framing with the member against the plywood to be a minimum No. 22 MSG coated steel.

Refer to General Information, Roof Deck Construction, (Roofing Materials and Systems Directory) for Items Not Evaluated.

\*Bearing the UL Classification Mark







	SECTION PROPERTIES							BLE UNI or More E			f		
	Width Yield Weight Top in Compression Bottom in Comp		ompression	Outward / Uplift Load									
Ga	in	ksi	psf	lxx	Sxx	lxx	Sxx						
				in⁴/ft	in³/ft	in⁴/ft	in³/ft	0'-6"	1'-0"	1'-6"	2'-0"	2'-6"	3'-0"
26	24	50	0.78	0.0025	0.0070	0.0013	0.0054	101	89	60	34	22	15
24	24	50	1.02	0.0031	0.0089	0.0019	0.0072	101	89	60	34	22	15


- 1. Theoretical section properties have been calculated per AISI 2012 "Specifications for the Design of Cold-formed Steel Structural Members." Ixx and Sxx are effective section properties for deflection and bending.
- 2. Allowable load is calculated in accordance with AISI 2012 specifications considering bending, shear, combined bending and shear and deflection. Allowable load considers the 3 or more equal span condition. Allowable load does not address web crippling, fasteners/support connection or load testing. Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase in uplift.

### ATTACHMENT DETAIL



### **FASTENING PATTERNS**





\*Contact Metal Sales Technical Services for Miami-Dade County attachment requirements.

### **GENERAL INFORMATION**

### ► Slope

The minimum recommended slope for 5V-Crimp roofing panel is 3:12.

### Substructure

The recommended substrate is 5/8" plywood with a 30 pound felt moisture barrier. To avoid panel distortion use a properly aligned and uniform substructure. NOTE: 5V-Crimp roof panels are not recommended for use over open structural framing.

### ▶ Coverage

5V-Crimp panels are available in a 1/2" rib height with a coverage width of 24".

### **▶** Length

Minimum factory cut length is 5'-0". Maximum recommended panel length is 45'-0". Longer panels require additional consideration in packaging, shipping, and erection. Please consult Metal Sales for recommendations.

### **Fasteners**

The fastener selection guide should be consulted for choosing the proper fastener for specific applications. Quantity and type of fastener must meet necessary loading and code requirements.

NOTE: All panels are subject to surface distortion due to improperly applied fasteners. Overdriven fasteners will cause stress and induce oil canning across the face of the panel at or near the point of attachment.

### ▶ Availability

Finishes: Acrylic Coated Galvalume®, PVDF and MS Colorfast45®


Gauges: 26ga and 24ga



### **FASTENER INSTALLATION TECHNIQUE**

**Recommended Tool Type** - Use depth locating nose or adjustable clutch on screw gun to prevent overdrilling and strip out. **Do not use impact tools or runners.** 

**Seating the washer** - Apply sufficient torque to seat the washer - do not overdrive the fastener.



**To prevent wobbling -** Make sure fastener head is completely engaged in the socket. If the head does not go all the way in the socket - tap the magnet deeper into the socket to allow full head engagement. Metal chips will build up from drilling and should be removed from time to time.

**Protect drill point -** Push only hard enough on the screw gun to engage clutch. This prevents excess friction and burn out of the drill point. Correct pressure will allow screw to drill and tap without binding.

**Drilling through sheet and insulation** - Ease up on pressure when drilling through insulation to avoid striking the purlin or girt with the point - apply more pressure after drill point contacts purlin or girt.


### **CONDITION OF SUBSTRUCTURE**

Whether over solid substrate or open structural framing, panel distortion may occur if not applied over properly aligned and uniform substructure.

The installer should check the roof deck for squareness before installing 5V-Crimp panels. Several methods can be used to verify squareness of the structure for proper installation of the panels.

**METHOD "A"** - One method for checking the roof for squareness is to measure diagonally across one slope of the roof from similar points at the ridge and eave and obtain the same dimension.

**METHOD "B"** - The 3-4-5 triangle system may also be used. To use this system measure a point from the corner along the edge of the roof at a module of three (3). Measure a point from the same corner along another edge at a module of four (4). Then by measuring diagonally between the two points established, the dimension should be exactly a module of five (5) to have a square corner. Multiple uses of this system may be required to determine building squareness. If the endwall cannot be made square, the roof system cannot be installed as shown in these instructions.





### **VENTILATION**

Proper design and installation of vapor barriers and ventilation systems are important to prevent condensation and the resulting problems of moisture damage and loss of insulation efficiency.

Condensation occurs when moisture laden air comes in contact with a surface temperature equal to or below the dew point of the air. This phenomenon creates problems that are not unique with metal roofing; these problems are common to all types of construction.

The underside of the metal roof on a typical Architectural building should be protected from condensation by installing panels directly over a minimum 30 lb moisture barrier and uniform solid substrate. This reduces airspace and the potential of condensation forming on the underside of the panels.





Typical metal building (no attic)

**Building with attic or retrofitted** 

### PANEL APPLICATIONS


The following chart highlights UL 580 Construction #435 for fastener spacing on the selected applications (see Fastener Selection Guide pages PGI-12 through PGI-14 for other fasteners available). For more information on UL Construction numbers, refer to UL Roofing Materials and System Directories.

PANEL TYPE	APPLICATION	INSTALLATION REQUIREMENTS		FASTENER SPACING TYPE OF FASTENER		NUMBER REQUIRED	
5V-Crimp	FASTENERS OVER 5/8" PLYWOOD DECK CONST. #435	UL-90	26 GAUGE	3'-0" O.C.**	#9-15 x 1" ABMP XL - PAINTED	4 FASTENERS*	


<sup>\*</sup> ABMP XL Fastener also available in <sup>1</sup>/<sub>4</sub>"-14 x 1" - Painted.


<sup>\*\*</sup> Based on UL 580, subject to project loading, closer fastener spacing may be required. Contact your local Metal Sales branch representative for more information (see pages PGI-2 through PGI-3).

### **5V-CRIMP** Eave Detail




## 5V-CRIMP Box Gutter Detail







# 3:12 Slope Minimum 5V-Crimp Panel #10-14 x 1" Wood Screw (see below) Single Bead Tape Sealant Moisture Barrier (by others)




# 5V-CRIMP RAKEWALL DETAIL





### 5V-CRIMP PEAK DETAIL




# 3:12 Slope Minimum 5V-Crimp Panel 1/4"-14 x 7/8" Stitch Screw (every rib) Single Bead Tape Sealant 5V-Crimp Z-Closure #10-14 x 1" Wood Screw (see below) Single Bead Tape Sealant

Moisture Barrier (by others)

11" Ridge/Hip Cover



# 5V-CRIMP RIDGE DETAIL



5V-CRIMP Notes	